



製品記号	ベルト巾	A	m1	D1	D2	D3	D4	E1	E2	C	F	M	J	P	B	t	n1	e×f	重量kg	
OKC-60-30°-TC	600	890	840	101.6	102	114	90	125	255	585	308	170	84	40	200	6	150	15×25	39.5	
OKC-75-30°-TC	750	1090	1040	114.3	115	130	100	135	330	731	365	187	86		210		180		160	53.0
OKC-90-30°-TC	900	1240	1190		118	136		170	390	877	398		114		63.0					
OKC-105-30°-TC	1050	1390	1340	139.8	140	165	120	200	450	1027	468	225	145	50	230	9	280	19×30	90.0	
OKC-120-30°-TC	1200	1540	1490					260	490	1154	491		146						103.0	
OKC-140-30°-TC	1400	1790	1730	165.2	148	179	340	600	1431	627	303	125	157.0							
OKC-160-30°-TC	1600	1990	1930		150	360	660	1581	650	293	138	178.0								
OKC-180-30°-TC	1800	2290	2220	165.2	155	190	120	380	750	1793	723	318	160	60	400	12	330	25×35	273.0	
OKC-200-30°-TC	2000	2490	2420					550	1923	733	328	155	297.0							
OKC-200-30°-TC	2200	2690	2640	172	215	130	585	915	2237	810	315	165	75	360.0						



製品記号	ベルト巾	A	m2	D1	D2	D3	D4	E1	E2	C	F	M	B	t	n2	e×f	重量 k g	
OKR-60-TR	600	890	840	-	102	114	90	-	255	652	325	65	150	4.5	60	15×25	36.0	
OKR-75-TR	750	1090	1040	-	115	130	100	-	330	799	329	53		6			47.0	
OKR-90-TR	900	1240	1190	-	118	136		-	390	949	348	60		81.0				
OKR-105-TR	1050	1390	1340	-	140	165	120	-	450	1115	424	60	180	9	120	19×30	92.0	
OKR-120-TR	1200	1540	1490	-	148	179		-	490	1260	426	77					220	232.0
OKR-140-TR	1400	1800	1730	-	150	190		-	600	1462	466	77	260				273.0	
OKR-160-TR	1600	2000	1930	-	155	190	165.2	-	660	1660	477	77	260	12	150	25×35	325.0	
OKR-180-TR	1800	2300	2220	-	172	215		550	750	2154	547						150	273.0
OKC-200-TR	2000	2500	2420	165.2	172	215		400	915	2356	575						150	325.0
OKC-220-TR	2200	2700	2640	165.2	172	215	130	400	915	2356	575	260	12	150	25×35	325.0		



製品記号	ベルト巾	A	m2	D1	D2	D3	D4	E1	E2	C	H	T	P	B	t	n2	e×f	重量kg	
OKR-60-TRV	600	890	840	-	102	114	90	-	255	652	165&232	110	40	200	4.5	150	15×25	38.0	
OKR-75-TRV	750	1090	1040	-	115	130	100	-	330	799	153&225	140		210	6	160		15×25	50.0
OKR-90-TRV	900	1240	1190	-	118	136		-	390	949	153&229	127		50					230
OKR-105-TRV	1050	1390	1340	-	140	165	120	-	450	1115	185&216	160	350		280	9	19×30	87.0	
OKR-120-TRV	1200	1540	1490	139.8				180	490	1260	185&310	210						203	203
OKR-140-TRV	1400	1790	1730	165.2	148	179	120	280	600	1660	202&320	187	60	400	12	330	25×35	140.5	
OKR-160-TRV	1600	1990	1930					360	660	1880	228&322	234						264.0	
OKR-180-TRV	1800	2290	2220					480	750	2154	227&330	248						314.5	
OKR-200-TRV	2000	2490	2420	155	190	2154	227&330	248	314.5										
OKR-220-TRV	2200	2690	2640	165.2	172	215	130	400	915	2356	207&310	250	75	12	330	25×35	355.5		